2022 Civic Hatchback

ENGINE	LX	SPORT	SPORT TOURING
2.0-Litre, 16-valve, Port Injection, DOHC, I-VTEC® 4-cylinder	•		
1.5-litre, 16-valve, Direct Injection, DOHC, turbocharged 4-cylinder		•	•
Horsepower @ rpm	158 @ 6500	180 @ 6000	180 @ 6000
Torque (lbft. @ rpm)	138 @ 4200	177 @ 1700-4500	177 @ 1700-4500
Displacement (cc)	1996	1498	1498
Emissions rating	Tier 3 Bin 30	Tier 3 Bin 30	Tier 3 Bin 30
Bore and stroke (mm)	86 x 85.9	73 x 89.5	73 x 89.5
Compression ratio	10.8:1	10.3:1	10.3:1
Drive-by-Wire Throttle System™	•	•	•
Eco Assist™ system	•	•	•
Idle-stop	•	•	
Recommended fuel	Regular	Regular	Regular
DRIVETRAIN	LX	SPORT	SPORT TOURING
	LX		31 01(1 1001(11)0
Continuously variable transmission (CVT)	• •	•	• •
6-speed manual transmission (MT)	Available	Available	Available
ECON mode button	•	•	•
Sport mode Sport mode		CVT only	CVT only
Front-wheel drive	•	•	•
Steering wheel-mounted paddle shifters		CVT only	CVT only
CHASSIS	LX	SPORT	SPORT TOURING
16" aluminum-alloy wheels	•		
18" aluminum-alloy wheels (black)		•	
18" aluminum-alloy wheels (machined-tinted with black inserts)			•
Agile Handling Assist ² (AHA)	•	•	•
All-season tires	P215/55 R16 93H	P235/40 R18 91W	P235/40 R18 91W
Capless fueling system	•	•	•
Variable Ratio Electric Power-Assisted Rack-and-Pinion Steering (EPS)	•	•	•
Electronic Parking Brake (EPB) with automatic brake hold	0.4 5 43 5	•	0/ 5/47 5
Front and rear stabilizer bars (mm)	26.5/17.5	26.5/17.5	26.5/17.5
Independent strut front suspension	•	•	•
Independent multi-link rear suspension	•	•	•
Power-assisted, ventilated front disc/solid rear disc brakes Straight Driving Assist	•	•	•
Temporary spare tire	T125/80 D16 97M	T125/85 D16 99M	T125/85 D16 99M
	LX	SPORT	
ACTIVE SAFETY	LA	SPURI	SPORT TOURING
4-wheel Anti-lock Braking System ² (ABS)	•	•	•
Auto high beam	•	•	•
Brake Assist	•	•	•
Electronic Brake-force Distribution (EBD)	•	•	•
Collision Mitigation Braking System ^{Tile} (CMBS ^a) (HS ^a)	•	•	•
Forward Collision Warning (FCW) system ² (HS*) Hill Start Assist ²	•	•	
Lane Departure Warning (LDW) system ² (HS*)	•	•	•
Road Departure Mitigation (RDM) system ² (HS*)	•	•	•
Traffic sign recognition (HS*)	•	•	•
Vehicle Stability Assist: (VSA*) with Traction Control	•	•	•
HS* = Feature is a component of the Honda Sensing* suite of safety and driver assist features.			
PASSIVE SAFETY	LX	SPORT	SPORT TOURING
Next-Generation Advanced Compatibility Engineering™ (ACE™) body structure	•		
Childproof rear door locks	•	•	•
Airbag system (front)	•	•	•
Side curtain airbags with rollover sensor system	•	•	•
Side airbags	•	•	•
Rear side airbags	•	•	•
Knee airbags, driver and front passenger	•	•	•
Front height-adjustable seat belt anchors	•	•	•
HondaLink™ Assist Automatic Emergency Response System ^{2,34}			•
Lower Anchors and Tethers for Children (LATCH)	•	•	•
DRIVER ASSIST TECHNOLOGY	LX	SPORT	SPORT TOURING
Adaptive Cruise Control (ACC) ² with Low-Speed Follow (HS*)	CVT only	CVT only	CVT only
Adaptive Cruise Control (ACC): With Low-speed Follow (HS) Adaptive Cruise Control (ACC): (HS*)	CVI OIIIY	,	OVIOLILY
	•	•	•
1 , , , ,	_	_	
Blind Spot Information (BSI) system ²	•	•	•
, , , ,	•	•	• • CVT only

raffic Jam Assist ²	CVT only	CVT only	CVT only
IS* = Feature is a component of the Honda Sensing* suite of safety and driver assist features.			
XTERIOR Dual exhaust finisher	LX	SPORT	SPORT TOURING
ront splash guards	•	•	•
leated power door mirrors	•	•	•
ED daytime running lights	•	•	•
ED fog lights	•	•	
ED headlights (High and low beam)	•	•	•
Airror-integrated LED turn signal indicators		•	•
ne-touch power moonroof with tilt feature		•	•
ntermittent windshield wipers	•		
peed-sensing, variable intermittent windshield wipers		•	
ain-sensing windshield wipers			•
ear wiper	•	•	•
OMFORT & CONVENIENCE	LX	SPORT	SPORT TOURING
colour TFT centre meter display with Driver Information Interface	•	•	
0.2" colour TFT full digital driver meter display			•
coustic windshield	•	•	•
luminum-trimmed sport pedals		•	•
uto-dimming rearview mirror			•
utomatic climate control with air-filtration system	•	Dual-zone	Dual-zone
ody-coloured front and rear parking sensors			•
river's and front passenger's vanity mirrors	•	Illuminated	Illuminated
xterior temperature indicator	•	•	•
omeLink* remote system*			•
nmobilizer theft-deterrent system	•	•	•
aintenance Minder™ system	•	•	•
lulti-angle rearview camera [,] with dynamic guidelines	•	•	•
assenger-side seatback pocket		•	•
ower windows with auto-up/down driver's and passenger's window	•	•	•
roximity key entry system with pushbutton start	•	•	•
ear armrest with cupholders	•	•	•
ear-seat heater ducts	OVT and to	OVT li	• OV/T = = h :
emote engine starter	CVT only	CVT only	CVT only
ecurity system	•	•	•
ilt and telescopic steering column /alk-away door lock	•	•	•
vireless charging	•	•	•
	LV	CDODT	
EATING & TRIM O/40 split fold-down rear seatback	LX	SPORT	SPORT TOURING
river's seat with 6-way manual adjustment	•	•	•
river's seat with 8-way power adjustment	•	•	•
ont passenger's seat with 4-way manual adjustment	•	•	
ont passenger's seat with 4-way power adjustment			•
ack combi seats (synthetic leather/fabric)		•	
eated front seats	•	•	•
eated rear seats			•
eated leather-wrapped steering wheel		•	•
eather-trimmed seating surfaces			•
NTERTAINMENT	LX	SPORT	SPORT TOURING
M/FM audio system with 8 speakers	•	•	
OSE® Premium Sound System with 12 speakers including subwoofer		14.0	•
pple CarPlay™/ Android Auto™s uetooth° Streaming Audio™	Wired	Wired	Wired/Wireless
colour touchscreen	•	•	•
colour touchscreen	•	•	Including Navigation ²
D Radio™			•
uminated steering wheel-mounted audio controls	•	•	•
ri Eyes Free compatibility ^{2,3}	•	•	
iusXM [™] 2.8			•
peed-sensitive Volume Control (SVC)	•	•	•
SB device connector ³		3	4
i-Fi tethering JEL ECONOMY° (L/100 KM)	LX	SPORT	SPORT TOURING
ontinuously variable transmission (City/Hwy/Combined)	8.0/6.2/7.2	7.7/6.3/7.1	7.7/6.3/7.1
anual transmission (City/Hwy/Combined)	9.1/6.6/8.0	8.5/6.3/7.5	8.5/6.3/7.5
MENSIONS	LX	SPORT	SPORT TOURING
argo volume (L)	693	693	693
· · · · · · · · · · · · · · · · · · ·			
urb weight (kg)	1322/1333	1361/1391	1382/1412

Ground clearance - no-load (mm)	134	134	134
Headroom - front/rear (mm)	998/942	956/942	956/942
Height (mm)	1415	1415	1415
Hip room - front/rear (mm)	1380/1243	1380/1243	1380/1243
Legroom - front/rear (mm)	1074/950	1074/950	1074/950
Length (mm) - with licence bracket/without licence bracket	4547/4529	4547/4529	4547/4529
Passenger volume (L)	2803	2735	2735
Shoulder room - front/rear (mm)	1447/1422	1447/1422	1447/1422
Track – front/rear (mm)	1546/1575	1536/1565	1536/1565
Turning radius (m) (curb-to-curb)	11	11.6	11.6
Wheelbase (mm)	2735	2735	2735
Width - including mirrors/mirrors folded (mm)	2081/1900	2081/1900	2081/1900

- 1. Horsepower and torque calculations reflect SAE net, Rev. 08/04, SAE J1349 procedures.
- 2. None of the features we describe are intended to replace the driver's responsibility to exercise due care while driving. Drivers should not use handheld devices or operate certain vehicle features unless it is safe and legal to do so. features have technological limitations. For additional feature information, limitations and restrictions, please visit www.honda.ca/disclaimers and refer to the vehicle's Owner's Manual.
- 3. Only compatible with certain devices and operating systems. Operation may be dependent upon GPS satellite signal reception and available cellular data and/or voice connection. Associated charges (incl. data plans, roaming charged by your wireless carrier) may apply.
- 4. Operation requires wireless mobile phone to be paired with the vehicle. Operation is dependent upon cellular data and/or voice connection availability and GPS satellite signal reception.
- $5. \ Map\ database\ covers\ major\ metropolitan\ areas\ in\ Canada\ and\ the\ 48\ contiguous\ U.S.\ states.$
- 6. HomeLink-can be programmed with codes of up to three remote-control devices (e.g., garage-door opener, home security system, etc.).
- 7. Coverage varies by market.
- 8. Only available in certain areas. Includes a no-charge trial of three months.
- a. Catimated first consumption based on Covernment of Canada's E-avala testing mathed. Your natual first consumption will use based on deliving bakits and other feature. The comparison and

. Some

arges or